Proceedings of the Twenty second Scientific Sessions of the Sri Lanka Association for Fisheries and Aquatic Resources, 20th May 2016. Auditorium of National Aquatic Resources Research and Development Agency, Colombo 15, Sri Lanka

Induction of histological alterations in Nile tilapia (Oreochromis niloticus) following water-borne exposure to nano-titanium dioxide and bulk titanium dioxide

W. A. P. M. De Silva* and A. Pathiratne

Department of Zoology and Environmental Management, Faculty of Science, University of Kelaniya, Kelaniya, Sri Lanka

*corresponding author: prabuddhika90@gmail.com

Due to widespread use of nano-TiO2 in many applications, significant release of the nano-TiO2 to the environment can occur which may eventually reach aquatic ecosystems. Nevertheless chronic effects of nano-TiO2 on freshwater fish especially under tropical conditions are little known. Nile tilapia (Oreochromis niloticus) could be used as a freshwater fish model for nano-ecotoxicity studies under tropical conditions as it is a widespread fish species in tropical waters. The present study was conducted to assess the effects of nano-TiO2 water-borne exposure on histological structure of the gills, liver and intestine of Nile tilapia under chronic exposure conditions. Fish were exposed to a range of concentrations of nano-TiO- (<25 nm. anatase) viz 0.1 mg/L, 0.5 mg/L and 1.0 mg/L along with the controls for 21 days and alterations in histological structure were assessed qualitatively and quantitatively based on derived organ indices. The highest concentration (1.0 mg/L) of TiO2 in the bulk form was also tested to examine whether potential histopathological effects are due to TiO2 chemical itself or nano form of TiO2. The results showed that nano-TiO2 exposures could induce significant histological alterations (P < 0.05) in the gills, liver and intestine of the exposed fish. Even though consistent patterns of concentration dependent responses were not observed, proliferated goblet cells in the gills, fragmented nuclei in the liver and epithelial damage, necrosis and reduction of average number of goblet cells in the intestinal wall were the most conspicuous histological alterations observed in the fish exposed to nano-TiO2. Average number of goblet cells per fold in the intestinal wall was significantly reduced in the fish exposed to nano-TiO2 (P < 0.05) in comparison to the control fish. This study revealed that bulk TiO2 is not inert as previously assumed as it could also induce histological alterations in the gills and liver of Nile tilapia. However, induction of histological alterations in Nile tilapia was more severe in the fish exposed to nano-TiO2 compared to the bulk TiO2 exposure. Histological alterations induced by the nano-TiO2 and bulk TiO2 could lead to serious ill health conditions which may eventually affect the survival, growth and reproduction of the exposed fish populations.

Keywords: Nano-TiO2; bulk TiO2; histopathology; Nile tilapia